



Carotid Intervention

RICHARD R. HEUSER, MD, FACC, FACP, FESC, FSCAI

*Chief of Cardiology, St. Luke's Medical Center,
Phoenix, Arizona*

*Clinical Professor of Medicine Univ. of Arizona,
College of Medicine, Tucson, Arizona*

Presenter Disclosure Information

Name: RICHARD R. HEUSER M.D.

Within the past 12 months, the presenter or their spouse/partner have had a financial interest/arrangement or affiliation with the organization listed below.

- QuantumCor, Major Stock Holder/Medical Director;*
- Radius Medical, Avinger and Claret Medical, Major Stock Holder;*
- PQ ByPass, Founder and Major Stock Holder;*
- CSI, Stockholder; and*
- Spectranetics, Abbott, Medtronic, Bard, Abiomed, Honorarium and*
- Medtronic, Abbott, AngioScore, Speaker*


Patents -- RF, Snares, Wires, Balloon Catheters, Covered Stents, Devices for Arterial Venous Connection, Devices for LV and RV Closure




82 year old gentleman with
symptomatic carotid artery
stenosis and severe COPD and
coronary artery disease





Loopy Compression - not intended for diagnosis




First View









Loose Compression - not intended for diagnosis




azy Compression - not indicated for diagnosis





Post 1st






R. Heuser










R. Heuser




Lossy Compression - not intended for diagnosis



Lossy Compression - not intended for diagnosis




Filter Wire Disconnected



Lossy Compression - not intended for diagnosis








Post Removal Dissection




Lossy Compression - not intended for diagnosis



Final Result




Lossy Compression - not intended for diagnosis



Zoom Post





RX ACCUNET™ Embolic Protection System

Courtesy of Guidant Corporation Copyright 2005


R. Heuser



Conclusion

Patient tolerated the procedure with no TIA or stroke and was discharged the day after the procedure







R. Heuser











CONCLUSION

When doing carotid intervention or any endovascular therapy, you need to do the following

- Be prepared
- Think on your feet
- When all else fails, invent something yourself

