

Late incomplete stent apposition after sirolimus-eluting stent implantation: a serial intravascular ultrasound analysis J. Ako, Y. Morino, Y. Honda, A. Hassan, S. Sonoda, P. G. Yock, M. B. Leon, J. W. Moses, H. N. Bonneau and P. J. Fitzgerald

J Am Coll Cardiol (2005) 46;1002-5

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=16168282](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16168282)

Repeat stenting for the prevention of the early lumen loss phenomenon in patients with in-stent restenosis. Angiographic and intravascular ultrasound findings of a randomized study F. Alfonso, P. Garcia, H. Fleites, G. Pimentel, M. Sabate, R. Hernandez, J.

Escaned, C. Banuelos, M. J. Perez-Vizcayno, R. Moreno and C. Macaya

Am Heart J (2005) 149;e1-8

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=15846250](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15846250)

Evaluation of four-year coronary artery response after sirolimus-eluting stent implantation using serial quantitative intravascular ultrasound and computer-assisted grayscale value analysis for plaque composition in event-free patients J. Aoki, A. C.

Abizaid, P. W. Serruys, A. T. Ong, E. Boersma, J. E. Sousa and N. Bruining

J Am Coll Cardiol (2005) 46;1670-6

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=16256867](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16256867)

Persistent remodeling and neointimal suppression 2 years after polymer-based, paclitaxel-eluting stent implantation: insights from serial intravascular ultrasound analysis in the TAXUS II study J. Aoki, A. Colombo, D. Dudek, A. P. Banning, J.

Drzewiecki, K. Zmudka, F. Schiele, M. E. Russell, J. Koglin and P. W. Serruys

Circulation (2005) 112;3876-83

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=16344384](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16344384)

Intravascular ultrasound stent area of sirolimus-eluting stents and its impact on late outcome E. Cheneau, A. D. Pichard, L. F. Satler, W. O. Suddath, N. J. Weissman and R. Waksman

Am J Cardiol (2005) 95;1240-2

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=15878001](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15878001)

Intravascular ultrasound characterization of the "black hole" phenomenon after drug-eluting stent implantation M. A. Costa, M. Sabate, D. J. Angiolillo, P.

Jimenez-Quevedo, P. Teirstein, A. Carter, M. B. Leon, J. Moses, M. Zenni, S. Yakubov, L. A. Guzman, P. Gilmore, C. Macaya and T. A. Bass

Am J Cardiol (2006) 97;203-6

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=16442364](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16442364)

Bifurcation coronary lesions treated with the "crush" technique: an intravascular ultrasound analysis R. A. Costa, G. S. Mintz, S. G. Carlier, A. J. Lansky, I. Moussa, K. Fujii, H. Takebayashi, T. Yasuda, J. R. Costa, Jr., Y. Tsuchiya, L. O. Jensen, E. Cristea, R. Mehran, G. D. Dangas, S. Iyer, M. Collins, E. M. Kreps, A. Colombo, G. W. Stone, M. B. Leon and J. W. Moses

J Am Coll Cardiol (2005) 46;599-605

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=16098422](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16098422)

Intravascular ultrasonic assessment of stent diameters derived from manufacturer's compliance charts J. de Ribamar Costa, Jr., G. S. Mintz, S. G. Carlier, R. A. Costa, K. Fujii, K. Sano, M. Kimura, J. Lui, G. Weisz, I. Moussa, G. Dangas, R. Mehran, A. J. Lansky, E. M. Kreps, M. Collins, G. W. Stone, J. W. Moses and M. B. Leon  
Am J Cardiol (2005) 96;74-8

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=15979438](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15979438)

Serial intravascular ultrasound comparison of the extent and distribution of intimal hyperplasia six months after stent implantation for de novo versus in-stent restenosis lesions E. Escolar, G. S. Mintz, D. Canos, E. Cheneau, A. D. Pichard, L. F. Satler, K. M. Kent, R. Waksman and N. J. Weissman  
Am J Cardiol (2005) 96;897-900

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=16188512](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16188512)

Intravascular ultrasound-guided treatment for angiographically indeterminate left main coronary artery disease: a long-term follow-up study A. A. Fassa, K. Wagatsuma, S. T. Higano, V. Mathew, G. W. Barsness, R. J. Lennon, D. R. Holmes, Jr. and A. Lerman  
J Am Coll Cardiol (2005) 45;204-11

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=15653016](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15653016)

Association of plaque characterization by intravascular ultrasound virtual histology and arterial remodeling K. Fujii, S. G. Carlier, G. S. Mintz, W. Wijns, A. Colombo, D. Bose, R. Erbel, J. de Ribamar Costa, Jr., M. Kimura, K. Sano, R. A. Costa, J. Lui, G. W. Stone, J. W. Moses and M. B. Leon  
Am J Cardiol (2005) 96;1476-83

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=16310425](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16310425)

Stent underexpansion and residual reference segment stenosis are related to stent thrombosis after sirolimus-eluting stent implantation: an intravascular ultrasound study K. Fujii, S. G. Carlier, G. S. Mintz, Y. M. Yang, I. Moussa, G. Weisz, G. Dangas, R. Mehran, A. J. Lansky, E. M. Kreps, M. Collins, G. W. Stone, J. W. Moses and M. B. Leon  
J Am Coll Cardiol (2005) 45;995-8

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=15808753](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15808753)

Long-term safety of intravascular ultrasound in nontransplant, nonintervened, atherosclerotic coronary arteries A. Guedes, P. F. Keller, P. L. L'Allier, J. Lesperance, J. Gregoire and J. C. Tardif  
J Am Coll Cardiol (2005) 45;559-64

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=15708704](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15708704)

Acute myocardial infarction: clinical characteristics and plaque morphology between expansive remodeling and constrictive remodeling by intravascular ultrasound T. Hasegawa, S. Ehara, Y. Kobayashi, T. Kataoka, H. Yamashita, H. Nishioka, K. Asawa, H. Yamagishi, M. Yoshiyama, K. Takeuchi, J. Yoshikawa and M. Ueda

Am Heart J (2006) 151;332-7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=16442895](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16442895)

Impact of different definitions on the interpretation of coronary remodeling determined by intravascular ultrasound K. Hibi, M. R. Ward, Y. Honda, T. Suzuki, A. Jeremias, H. Okura, A. H. Hassan, A. Maehara, A. C. Yeung, G. Pasterkamp, P. J. Fitzgerald and P. G. Yock

Catheter Cardiovasc Interv (2005) 65;233-9

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=15812811](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15812811)

Two-year follow-up intravascular ultrasound analysis after bare metal stent implantation in 120 lesions M. K. Hong, C. W. Lee, Y. H. Kim, B. K. Lee, M. K. Kim, T. H. Yang, J. M. Song, K. H. Han, D. H. Kang, J. K. Song, J. J. Kim, S. W. Park and S. J. Park

Catheter Cardiovasc Interv (2005) 65;247-53

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=15858789](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15858789)

Late stent malapposition after drug-eluting stent implantation: an intravascular ultrasound analysis with long-term follow-up M. K. Hong, G. S. Mintz, C. W. Lee, D. W. Park, K. M. Park, B. K. Lee, Y. H. Kim, J. M. Song, K. H. Han, D. H. Kang, S. S. Cheong, J. K. Song, J. J. Kim, S. W. Park and S. J. Park

Circulation (2006) 113;414-9

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=16432073](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16432073)

Comparison of coronary arterial finding by intravascular ultrasound in patients with "transient no-reflow" versus "reflow" during percutaneous coronary intervention in acute coronary syndrome R. Iijima, H. Shinji, N. Ikeda, H. Itaya, K. Makino, A. Funatsu, I. Yokouchi, H. Komatsu, N. Ito, H. Nuruki, R. Nakajima and M. Nakamura

Am J Cardiol (2006) 97;29-33

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=16377279](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16377279)

LDL-cholesterol predicts negative coronary artery remodelling in diabetic patients: an intravascular ultrasound study P. Jimenez-Quevedo, M. Sabate, D. Angiolillo, F. Alfonso, R. Hernandez-Antolin, C. Banuelos, E. Bernardo, C. Ramirez, R. Moreno, C. Fernandez, J. Escaned and C. Macaya

Eur Heart J (2005) 26;2307-12

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=16037102](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16037102)

Relation of atherothrombosis burden and volume detected by intravascular ultrasound to angiographic no-reflow phenomenon during stent implantation in patients with acute myocardial infarction T. Katayama, N. Kubo, Y. Takagi, H. Funayama, N. Ikeda, T. Ishida, T. Hirahara, Y. Sugawara, T. Yasu, M. Kawakami and M. Saito

Am J Cardiol (2006) 97;301-4

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=16442385](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16442385)

Multicenter intravascular ultrasound validation study among heart transplant recipients: outcomes after five years J. A. Kobashigawa, J. M. Tobis, R. C. Starling, E. M. Tuzcu, A.

L. Smith, H. A. Valentine, A. C. Yeung, M. R. Mehra, H. Anzai, B. T. Oeser, K. H. Abeywickrama, J. Murphy and N. Cretin  
J Am Coll Cardiol (2005) 45;1532-7  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=15862430](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15862430)

Influence of lumen shape and vessel geometry on plaque stresses: possible role in the increased vulnerability of a remodelled vessel and the "shoulder" of a plaque R. K. Kumar and K. R. Balakrishnan  
Heart (2005) 91;1459-65  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=15774611](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15774611)

Intravascular ultrasound assessment of neointima distribution and the length of stent that was free of intravascular ultrasound-detectable intimal hyperplasia in paclitaxel-eluting stents G. S. Mintz, M. K. Hong, A. E. Raizner, C. W. Lee, J. J. Kim, E. Escolar, N. E. Fearnot, S. W. Park, S. J. Park and N. J. Weissman  
Am J Cardiol (2005) 95;107-9  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=15619404](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15619404)

Comparison of quantitative angiographic parameters with the magnitude of neointimal hyperplasia measured by volumetric intravascular ultrasound in patients treated with bare metal and nonpolymeric paclitaxel-coated stents G. S. Mintz, M. K. Hong, A. E. Raizner, C. W. Lee, J. J. Kim, E. Escolar, N. E. Fearnot, S. W. Park, S. J. Park and N. J. Weissman  
Am J Cardiol (2005) 95;105-7  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=15619403](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15619403)

Comparison of ruptured plaques in native coronary arteries and in saphenous vein grafts: an intravascular ultrasound study J. Pregowski, P. Tyczynski, G. S. Mintz, S. W. Kim, A. Witkowski, R. Waksman, A. Pichard, L. Satler, K. Kent, L. Kalinczuk, S. Bieganski, P. Ohlmann, A. Maehara and N. J. Weissman  
Am J Cardiol (2006) 97;593-7  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=16490419](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16490419)

In vivo intravascular ultrasound-derived thin-cap fibroatheroma detection using ultrasound radiofrequency data analysis G. A. Rodriguez-Granillo, H. M. Garcia-Garcia, E. P. Mc Fadden, M. Valgimigli, J. Aoki, P. de Feyter and P. W. Serruys  
J Am Coll Cardiol (2005) 46;2038-42  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=16325038](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16325038)

Predictors of edge stenosis following sirolimus-eluting stent deployment (a quantitative intravascular ultrasound analysis from the SIRIUS trial) R. Sakurai, J. Ako, Y. Morino, S. Sonoda, H. Kaneda, M. Terashima, A. H. Hassan, M. B. Leon, J. W. Moses, J. J. Popma, H. N. Bonneau, P. G. Yock, P. J. Fitzgerald and Y. Honda  
Am J Cardiol (2005) 96;1251-3  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=16253592](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16253592)

Proportion of fibrin and platelets differs in thrombi on ruptured and eroded coronary atherosclerotic plaques in humans Y. Sato, K. Hatakeyama, A. Yamashita, K. Marutsuka, A. Sumiyoshi and Y. Asada

Heart (2005) 91;526-30

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=15772220](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15772220)

Sirolimus-eluting stent implantation and beta-irradiation for the treatment of in-stent restenotic lesions: comparison of underlying mechanisms of acute gain and late loss as assessed by volumetric intravascular ultrasound T. M. Schiele, A. Konig, J. Rieber, I. Erhard, M. Leibig, K. Theisen, U. Siebert and V. Klauss

Am Heart J (2005) 150;351-7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=16086942](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16086942)

Intravascular ultrasound assessment of lesions with target vessel failure after sirolimus-eluting stent implantation H. Takebayashi, Y. Kobayashi, G. S. Mintz, S. G. Carlier, K. Fujii, T. Yasuda, I. Moussa, R. Mehran, G. D. Dangas, M. B. Collins, E. Kreps, A. J. Lansky, G. W. Stone, M. B. Leon and J. W. Moses

Am J Cardiol (2005) 95;498-502

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=15695138](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15695138)

Intravascular ultrasound evidence of angiographically silent progression in coronary atherosclerosis predicts long-term morbidity and mortality after cardiac transplantation E. M. Tuzcu, S. R. Kapadia, R. Sachar, K. M. Ziada, T. D. Crowe, J. Feng, W. A. Magyar, R. E. Hobbs, R. C. Starling, J. B. Young, P. McCarthy and S. E. Nissen

J Am Coll Cardiol (2005) 45;1538-42

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=15862431](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15862431)

Distance from the ostium as an independent determinant of coronary plaque composition in vivo: an intravascular ultrasound study based radiofrequency data analysis in humans M. Valgimigli, G. A. Rodriguez-Granillo, H. M. Garcia-Garcia, P. Malagutti, E. Regar, P. De Jaegere, P. De Feyter and P. W. Serruys

Eur Heart J (2006)

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=16415094](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16415094)

Polymer-based paclitaxel-eluting stents reduce in-stent neointimal tissue proliferation: a serial volumetric intravascular ultrasound analysis from the TAXUS-IV trial N. J. Weissman, J. Koglin, D. A. Cox, J. Hermiller, C. O'Shaughnessy, J. T. Mann, M. Turco, R. Caputo, P. Bergin, J. Greenberg, M. Kutcher, S. C. Wong, W. Strickland, M. Mooney, M. E. Russell, S. G. Ellis and G. W. Stone

J Am Coll Cardiol (2005) 45;1201-5

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=15837249](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15837249)