

Comparison of intracoronary gamma radiation for in-stent restenosis in saphenous vein grafts versus native coronary arteries. Ajani, A. E., R. Waksman, et al. Am J Cardiol (2003).**91**(1): 22-6
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=12505566

Effect of percutaneous coronary interventions for in-stent restenosis in degenerated saphenous vein grafts without distal embolic protection. Ashby, D. T., G. Dangas, et al. J Am Coll Cardiol (2003).**41**(5): 749-52
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=12628717

Combined distal embolization protection and rheolytic thrombectomy to facilitate percutaneous revascularization of totally occluded saphenous vein grafts. Gaitonde, R. S., N. Sharma, et al. Catheter Cardiovasc Interv (2003).**60**(2): 212-7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=14517927

Impact of renal function on morbidity and mortality after percutaneous aortocoronary saphenous vein graft intervention. Gruberg, L., N. J. Weissman, et al. Am Heart J (2003).**145**(3): 529-34
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=12660678

Clinical and angiographic efficacy of a self-expanding nitinol stent in saphenous vein graft atherosclerotic disease: the Stent Comparative Restenosis (SCORES) Saphenous Vein Graft Registry. Kandzari, D. E., S. Goldberg, et al. Am Heart J (2003).**145**(5): 868-74
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=12766746

Effect of direct stenting on clinical outcome in patients treated with percutaneous coronary intervention on saphenous vein graft. Leborgne, L., E. Cheneau, et al. Am Heart J (2003).**146**(3): 501-6
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=12947370

Myocardial perfusion during transient slow-flow in the patient with old vein graft intervention: Assessment by serial measurement of pressure-derived fractional flow reserve and thermodilution-derived coronary flow reserve. Matsuo, H., S. Watanabe, et al. Catheter Cardiovasc Interv (2003).**60**(3): 392-8
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=14571493

Myocardial perfusion during transient slow-flow in the patient with old vein graft intervention: assessment by serial measurement of pressure-derived fractional flow reserve and thermodilution-derived coronary flow reserve. Matsuo, H., S. Watanabe, et al. Catheter Cardiovasc Interv (2003).**60**(3): 392-8
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=14571493

A randomized trial of polytetrafluoroethylene-membrane-covered stents compared with conventional stents in aortocoronary saphenous vein grafts. Schachinger, V., C. W. Hamm, et al. J Am Coll Cardiol (2003).**42**(8): 1360-9
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=14563575

Clinical and angiographic acute and follow up results of intracoronary beta brachytherapy in saphenous vein bypass grafts: a subgroup analysis of the multicentre European registry of intraluminal coronary beta brachytherapy (RENO). Schiele, T. M., E. Regar, et al. Heart (2003).**89**(6): 640-4
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=12748220

Saphenous vein graft stenting using a novel filter device for distal protection. Schluter, M., B. Chevalier, et al. Am J Cardiol (2003).**91**(6): 736-9
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=12633812

Usefulness of beta radiation for de novo and in-stent restenotic lesions in saphenous vein grafts. Stone, G. W., R. Mehran, et al. Am J Cardiol (2003).**92**(3): 312-4
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=12888142

Safety and efficacy of a novel device for treatment of thrombotic and atherosclerotic lesions in native coronary arteries and saphenous vein grafts: results from the multicenter X-Sizer for treatment of thrombus and atherosclerosis in coronary applications trial (X-TRACT) study. Stone, G. W., D. A. Cox, et al. Catheter Cardiovasc Interv (2003).**58**(4): 419-27
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=12652487

Prospective, randomized evaluation of thrombectomy prior to percutaneous intervention in diseased saphenous vein grafts and thrombus-containing coronary arteries*1. Stone, G. W., D. A. Cox, et al. Journal of the American College of Cardiology (2003).**42**(11): 2007-2013
<http://www.sciencedirect.com/science/article/B6T18-4B4P6XJ-V/2/10ae5ca7aa8fe0a79d058a38a5057f85>