

Predicting angiographic distal embolization following percutaneous coronary intervention in patients with acute myocardial infarction. Fukuda, D., A.

Tanaka, et al. Am J Cardiol (2003).**91**(4): 403-7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=12586252

Initial multicenter experience with a novel distal protection filter during carotid artery stent implantation. Grube, E., A. Colombo, et al. Catheter

Cardiovasc Interv (2003).**58**(2): 139-46

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=12552533

Evaluation of the percusurge guardwire plus temporary occlusion and aspiration system during primary angioplasty in acute myocardial infarction.

Huang, Z., O. Kato, et al. Catheter Cardiovasc Interv (2003).**60**(4): 443-51

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=14624419

Preliminary experiences using X-sizer catheter for mechanical thrombectomy of thrombus-containing lesions during acute coronary syndromes. Kornowski,

R., O. Ayzenberg, et al. Catheter Cardiovasc Interv (2003).**58**(4): 443-8

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=12652491

Mechanical prevention of distal embolization during primary angioplasty: safety, feasibility, and impact on myocardial reperfusion. Limbruno, U., A.

Micheli, et al. Circulation (2003).**108**(2): 171-6

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=12835216

Intracoronary thrombectomy improves myocardial reperfusion in patients undergoing direct angioplasty for acute myocardial infarction. Napodano, M.,

G. Pasquetto, et al. J Am Coll Cardiol (2003).**42**(8): 1395-402

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=14563581

Focal ischemia of the brain after neuroprotected carotid artery stenting.

Schluter, M., T. Tubler, et al. J Am Coll Cardiol (2003).**42**(6): 1007-13

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=13678921

Treatment of coronary stent thrombosis with rheolytic thrombectomy:

results from a multicenter experience. Silva, J. A., C. J. White, et al. Catheter Cardiovasc Interv (2003).**58**(1): 11-7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=12508190

Randomized comparison of distal protection with a filter-based catheter and a balloon occlusion and aspiration system during percutaneous intervention of diseased saphenous vein aorto-coronary bypass grafts. Stone, G. W., C.

Rogers, et al. Circulation (2003).**108**(5): 548-53

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=12508190

[tation&list_uids=12874191](#)

Safety and efficacy of a novel device for treatment of thrombotic and atherosclerotic lesions in native coronary arteries and saphenous vein grafts: results from the multicenter X-Sizer for treatment of thrombus and atherosclerosis in coronary applications trial (X-TRACT) study. Stone, G. W., D. A. Cox, et al. Catheter Cardiovasc Interv (2003).**58**(4): 419-27

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=12652487

Prospective, randomized evaluation of thrombectomy prior to percutaneous intervention in diseased saphenous vein grafts and thrombus-containing coronary arteries*1. Stone, G. W., D. A. Cox, et al. Journal of the American College of Cardiology (2003).**42**(11): 2007-2013

<http://www.sciencedirect.com/science/article/B6T18-4B4P6XJ-V/2/10ae5ca7aa8fe0a79d058a38a5057f85>

Distal myocardial protection during percutaneous coronary intervention with an intracoronary beta-blocker. Wang, F. W., A. Osman, et al. Circulation (2003).**107**(23): 2914-9

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=12771007