

Dietary magnesium intake and the future risk of coronary heart disease (the Honolulu Heart Program). Abbott, R. D., F. Ando, et al. Am J Cardiol (2003).**92**(6): 665-9

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=12972103

Preventing myocardial infarction in the young adult in the first place: how do the National Cholesterol Education Panel III guidelines perform? Akosah, K. O., A. Schaper, et al. J Am Coll Cardiol (2003).**41**(9): 1475-9

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=12742284

Plasma concentration of C-reactive protein and the calculated Framingham Coronary Heart Disease Risk Score. Albert, M. A., R. J. Glynn, et al. Circulation (2003).**108**(2): 161-5

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=12835213

Prognostic significance of coronary artery calcium in asymptomatic subjects with usual cardiovascular risk. Alexopoulos, D., T. Toulgaridis, et al. Am Heart J (2003).**145**(3): 542-8

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=12660680

Increased C-reactive protein level after coronary stent implantation in patients with stable coronary artery disease. Almagor, M., A. Keren, et al. Am Heart J (2003).**145**(2): 248-53

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=12595841

Relationship of metabolic syndrome and fibrinolytic dysfunction to cardiovascular disease. Anand, S. S., Q. Yi, et al. Circulation (2003).**108**(4): 420-5

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=12860914

Hepatic lipase mutations, elevated high-density lipoprotein cholesterol, and increased risk of ischemic heart disease: the Copenhagen City Heart Study.

Andersen, R. V., H. H. Wittrup, et al. J Am Coll Cardiol (2003).**41**(11): 1972-82

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=12798568

Mitral annular calcification: a marker of severe coronary artery disease in patients under 65 years old. Atar, S., D. S. Jeon, et al. Heart (2003).**89**(2): 161-4

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=12527666

Hormone-replacement therapy and cardiovascular diseases. Bailar, J. N Engl J Med (2003).**349**(6): 521-2

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=12904516

Role of lipid and lipoprotein profiles in risk assessment and therapy.

Ballantyne, C. M. and R. C. Hoogeveen. *Am Heart J* (2003).**146**(2): 227-33

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=12891189

Adipose tissue alpha-linolenic acid and nonfatal acute myocardial infarction

in Costa Rica. Baylin, A., E. K. Kabagambe, et al. *Circulation* (2003).**107**(12): 1586-91

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=12668490

Influences of matrix metalloproteinase-3 gene variation on extent of coronary atherosclerosis and risk of myocardial infarction.

Beyzade, S., S. Zhang, et al. *J Am Coll Cardiol* (2003).**41**(12): 2130-7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=12821236

Protective role of uncoupling protein 2 in atherosclerosis.

Blanc, J., M. C. Alves-Guerra, et al. *Circulation* (2003).**107**(3): 388-90

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=12551860

Interleukin-18 and the Risk of Coronary Heart Disease in European Men: The Prospective Epidemiological Study of Myocardial Infarction (PRIME).

Blankenberg, S., G. Luc, et al. *Circulation* (2003).

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=14581397

Plasma concentrations and genetic variation of matrix metalloproteinase 9 and prognosis of patients with cardiovascular disease.

Blankenberg, S., H. J. Rupprecht, et al. *Circulation* (2003).**107**(12): 1579-85

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=12668489

Meta-analysis of sero-epidemiologic studies of the relation between Chlamydia pneumoniae and atherosclerosis: does study design influence results?

Bloemenkamp, D. G., W. P. Mali, et al. *Am Heart J* (2003).**145**(3): 409-17

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=12660662

Risk factors for cardiovascular disease in patients with periodontitis.

Buhlin, K., A. Gustafsson, et al. *Eur Heart J* (2003).**24**(23): 2099-107

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=14643270

Depression as a risk factor for mortality after acute myocardial infarction*1.

Carney, R. M., J. A. Blumenthal, et al. *The American Journal of Cardiology* (2003).**92**(11): 1277-1281

<http://www.sciencedirect.com/science/article/B6T10-4B2D3XT-6/2/b4a9d540031eb551823d9e019e9f798a>

Inflammatory Markers and Onset of Cardiovascular Events. Results From the

Health ABC Study. Cesari, M., B. W. Penninx, et al. Circulation (2003).
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=14568895

Inflammatory markers and cardiovascular disease (The Health, Aging and Body Composition [Health ABC] Study). Cesari, M., B. W. Penninx, et al. Am J Cardiol (2003).**92**(5): 522-8
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=12943870

The prognostic importance of endothelial dysfunction and carotid atheroma burden in patients with coronary artery disease. Chan, S. Y., G. B. Mancini, et al. J Am Coll Cardiol (2003).**42**(6): 1037-43
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=13678927

Acute systemic inflammation enhances endothelium-dependent tissue plasminogen activator release in men. Chia, S., C. A. Ludlam, et al. J Am Coll Cardiol (2003).**41**(2): 333-9
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=12535831

Impact of age on procedural and 1-year outcome in percutaneous transluminal coronary angioplasty: a report from the NHLBI Dynamic Registry. Cohen, H. A., D. O. Williams, et al. Am Heart J (2003).**146**(3): 513-9
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=12947372

Screening for early detection of cardiovascular disease in asymptomatic individuals. Cohn, J. N., L. Hoke, et al. Am Heart J (2003).**146**(4): 679-85
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=14564323

MRC/BHF Heart Protection Study of cholesterol-lowering with simvastatin in 5963 people with diabetes: a randomised placebo-controlled trial. Collins, R., J. Armitage, et al. Lancet (2003).**361**(9374): 2005-16
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=12814710

Diabetes and vascular disease: pathophysiology, clinical consequences, and medical therapy: Part I. Creager, M. A., T. F. Luscher, et al. Circulation (2003).**108**(12): 1527-32
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=14504252

Chlamydia pneumoniae IgA titres and coronary heart disease: prospective study and meta-analysis. Danesh, J., P. Whincup, et al. Eur Heart J (2003).**24**(9): 881
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=12727159

Predictors of cardiac and noncardiac mortality among 14,697 patients with coronary heart disease. Dankner, R., U. Goldbourt, et al. Am J Cardiol

(2003).**91**(2): 121-7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=12521620

C-reactive protein increases plasminogen activator inhibitor-1 expression and activity in human aortic endothelial cells: implications for the metabolic syndrome and atherothrombosis. Devaraj, S., D. Y. Xu, et al. Circulation (2003).**107**(3): 398-404

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=12551862

Role of chronic hyperglycemia in the pathogenesis of coronary microvascular dysfunction in diabetes. Di Carli, M. F., J. Janisse, et al. J Am Coll Cardiol (2003).**41**(8): 1387-93

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=12706936

Predictive value of basal C-reactive protein levels for myocardial salvage in patients with acute myocardial infarction is dependent on the type of reperfusion treatment. Dibra, A., J. Mehilli, et al. Eur Heart J (2003).**24**(12): 1128-33

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=12804927

Neutrophil elastase in human atherosclerotic plaques: production by macrophages. Dollery, C. M., C. A. Owen, et al. Circulation (2003).**107**(22): 2829-36

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=12771009

The influence of left ventricular hypertrophy on survival in patients with coronary artery disease: do race and gender matter? East, M. A., J. G. Jollis, et al. J Am Coll Cardiol (2003).**41**(6): 949-54

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=12651039

Inflammation in the prediabetic state is related to increased insulin resistance rather than decreased insulin secretion. Festa, A., A. J. Hanley, et al. Circulation (2003).**108**(15): 1822-30

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=14517163

Mitral annular calcification predicts cardiovascular morbidity and mortality: the Framingham Heart Study. Fox, C. S., R. S. Vasan, et al. Circulation (2003).**107**(11): 1492-6

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=12654605

Hormone replacement therapy and risk of acute myocardial infarction in postmenopausal women with diabetes mellitus. Gami, A. S., R. S. Wright, et al. Am J Cardiol (2003).**91**(10): 1275-7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=12654605

[tation&list_uids=12745121](#)

Prevention of cardiovascular ischemic events: high-risk and secondary prevention. Genest, J. and T. R. Pedersen. *Circulation* (2003).**107**(15): 2059-65
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=12707251

Predictive value of noninvasively determined endothelial dysfunction for long-term cardiovascular events in patients with peripheral vascular disease. Gokce, N., J. F. Keaney, Jr., et al. *J Am Coll Cardiol* (2003).**41**(10): 1769-75
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=12767663

Smoking and health outcomes after percutaneous coronary intervention. Haddock, C. K., W. S. Poston, et al. *Am Heart J* (2003).**145**(4): 652-7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=12679761

Beta2-adrenergic receptor polymorphisms and risk of incident cardiovascular events in the elderly. Heckbert, S. R., L. A. Hindorff, et al. *Circulation* (2003).**107**(15): 2021-4
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=12682000

Framingham risk function overestimates risk of coronary heart disease in men and women from Germany--results from the MONICA Augsburg and the PROCAM cohorts. Hense, H. W., H. Schulte, et al. *Eur Heart J* (2003).**24**(10): 937-45
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=12714025

Arterial compliance adds to conventional risk factors for prediction of angiographic coronary artery disease. Herrington, D. M., K. Kesler, et al. *Am Heart J* (2003).**146**(4): 662-7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=14564320

Low body mass index is a risk factor for impaired endothelium-dependent vasodilation in humans: role of nitric oxide and oxidative stress. Higashi, Y., S. Sasaki, et al. *J Am Coll Cardiol* (2003).**42**(2): 256-63
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=12875761

Circulating endothelial progenitor cells, vascular function, and cardiovascular risk. Hill, J. M., G. Zalos, et al. *N Engl J Med* (2003).**348**(7): 593-600
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=12584367

Vascular disease, hypertension, and prevention: "from endothelium to clinical events". Hirsch, A. T. *J Am Coll Cardiol* (2003).**42**(2): 377-9
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=12875780

Hormone therapy and the progression of coronary-artery atherosclerosis in postmenopausal women. Hodis, H. N., W. J. Mack, et al. N Engl J Med (2003).**349**(6): 535-45

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=12904518

Association of polymorphisms of the apolipoprotein(a) gene with lipoprotein(a) levels and myocardial infarction. Holmer, S. R., C. Hengstenberg, et al. Circulation (2003).**107**(5): 696-701

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=12578871

Fish and long-chain omega-3 fatty acid intake and risk of coronary heart disease and total mortality in diabetic women. Hu, F. B., E. Cho, et al. Circulation (2003).**107**(14): 1852-7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=12668520

Low-T3 syndrome: a strong prognostic predictor of death in patients with heart disease. Iervasi, G., A. Pingitore, et al. Circulation (2003).**107**(5): 708-13

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=12578873

Correlation of oxidative stress with activity of matrix metalloproteinase in patients with coronary artery disease. Possible role for left ventricular remodelling. Kameda, K., T. Matsunaga, et al. Eur Heart J (2003).**24**(24): 2180-5

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=14659769

Absence of association between infectious agents and endothelial function in healthy young men. Khairy, P., S. Rinfret, et al. Circulation (2003).**107**(15): 1966-71

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=12681997

Relation of high lipoprotein(a) to other traditional atherosclerotic risk factors in patients with coronary heart disease. Kim, C., G. T. Gau, et al. Am J Cardiol (2003).**91**(11): 1360-3

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=12767436

Role of cardiac troponin T in the long-term risk stratification of patients undergoing percutaneous coronary intervention. Kizer, J. R., M. R. Muttref, et al. Eur Heart J (2003).**24**(14): 1314-22

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=12871688

Cardiovascular risk factors and atherosclerosis in young males: ARMY study (Atherosclerosis Risk-Factors in Male Youngsters). Knoflach, M., S. Kiechl, et al. Circulation (2003).**108**(9): 1064-9

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=12871688

[tation&list_uids=12952827](#)

Secondary prevention with folic acid: effects on clinical outcomes. Liem, A., G. H. Reynierse-Buitenwerf, et al. *J Am Coll Cardiol* (2003).**41**(12): 2105-13
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=12821232

A practical approach to risk assessment to prevent coronary artery disease and its complications. Linton, M. F. and S. Fazio. *Am J Cardiol* (2003).**92**(1A): 19i-26i

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=12867251

Diabetes and vascular disease: pathophysiology, clinical consequences, and medical therapy: Part II. Luscher, T. F., M. A. Creager, et al. *Circulation* (2003).**108**(13): 1655-61

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=14517152

D-dimer, inflammatory markers, and lower extremity functioning in patients with and without peripheral arterial disease. McDermott, M. M., P. Greenland, et al. *Circulation* (2003).**107**(25): 3191-8

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=12810614

Coronary risk factors predicting early and late coronary deaths. Menotti, A. and M. Lanti. *Heart* (2003).**89**(1): 19-24

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=12482784

Cell-associated and extracellular phospholipid transfer protein in human coronary atherosclerosis. O'Brien, K. D., S. Vuletic, et al. *Circulation* (2003).**108**(3): 270-4

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=12835223

Cardiovascular risk factors in patients with aortic stenosis predict prevalence of coronary artery disease but not of aortic stenosis: an angiographic pair matched case-control study. Ortlepp, J. R., F. Schmitz, et al. *Heart* (2003).**89**(9): 1019-22

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=12923015

Relation of fibrinogen to cardiovascular events is independent of preclinical cardiovascular disease: the Strong Heart Study. Palmieri, V., A. Celentano, et al. *Am Heart J* (2003).**145**(3): 467-74

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=12660670

Antioxidant vitamins for prevention of cardiovascular disease. Paolini, M., A. Sapone, et al. *Lancet* (2003).**362**(9387): 920; author reply 921

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=13678992

Usefulness of carotid intimal medial thickness and flow-mediated dilation in a preventive cardiovascular practice. Rembold, K. E., C. R. Ayers, et al. Am J Cardiol (2003).**91**(12): 1475-7, A8

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=12804739

Sex hormone levels and risk of cardiovascular events in postmenopausal women. Rexrode, K. M., J. E. Manson, et al. Circulation (2003).**108**(14): 1688-93

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=12975257

Clinical application of C-reactive protein for cardiovascular disease detection and prevention. Ridker, P. M. Circulation (2003).**107**(3): 363-9

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=12551853

High-sensitivity C-reactive protein and cardiovascular risk: rationale for screening and primary prevention. Ridker, P. M. Am J Cardiol (2003).**92**(4B): 17K-22K

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=12948872

Chronic periodontitis, a significant relationship with acute myocardial infarction. Rutger Persson, G., O. Ohlsson, et al. Eur Heart J (2003).**24**(23): 2108-15

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=14643271

Role of risk factors in the modulation of tissue factor activity and blood thrombogenicity. Sambola, A., J. Osende, et al. Circulation (2003).**107**(7): 973-7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=12600909

Metabolic syndrome with and without C-reactive protein as a predictor of coronary heart disease and diabetes in the West of Scotland Coronary Prevention Study. Sattar, N., A. Gaw, et al. Circulation (2003).**108**(4): 414-9

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=12860911

Effects of roxifiban on platelet aggregation and major receptor expression in patients with coronary artery disease for the Roxifiban Oral Compound Kinetics Evaluation Trial-I (ROCKET-I Platelet Substudy). Serebruany, V. L., A. I. Malinin, et al. Am Heart J (2003).**146**(1): 91-8

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=12851613

Why are patients with chronic obstructive pulmonary disease at increased risk of cardiovascular diseases? The potential role of systemic inflammation in chronic obstructive pulmonary disease. Sin, D. D. and S. F. Man. Circulation (2003).**107**(11): 1514-9

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=12851613

[tation&list_uids=12654609](#)

Multiple infections and subsequent cardiovascular events in the Heart Outcomes Prevention Evaluation (HOPE) Study. Smieja, M., J. Gnarpe, et al. *Circulation* (2003).**107**(2): 251-7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=12538424

Effect of plasma C-reactive protein levels in modulating the risk of coronary heart disease associated with small, dense, low-density lipoproteins in men (The Quebec Cardiovascular Study). St-Pierre, A. C., J. Bergeron, et al. *Am J Cardiol* (2003).**91**(5): 555-8

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=12615259

Endothelial dysfunction induced by hyperhomocyst(e)inemia: role of asymmetric dimethylarginine. Stuhlinger, M. C., R. K. Oka, et al. *Circulation* (2003).**108**(8): 933-8

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=12912818

Carbohydrates, dietary glycaemic load and glycaemic index, and risk of acute myocardial infarction. Tavani, A., C. Bosetti, et al. *Heart* (2003).**89**(7): 722-6

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=12807839

Exercise and physical activity in the prevention and treatment of atherosclerotic cardiovascular disease: a statement from the Council on Clinical Cardiology (Subcommittee on Exercise, Rehabilitation, and Prevention) and the Council on Nutrition, Physical Activity, and Metabolism (Subcommittee on Physical Activity). Thompson, P. D., D. Buchner, et al. *Circulation* (2003).**107**(24): 3109-16

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=12821592

Relationships between low-density lipoprotein particle size, plasma lipoproteins, and progression of coronary artery disease: the Diabetes Atherosclerosis Intervention Study (DAIS). Vakkilainen, J., G. Steiner, et al. *Circulation* (2003).**107**(13): 1733-7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=12665498

Ergometric score systems after myocardial infarction: prognostic performance of the Duke Treadmill Score, Veterans Administration Medical Center Score, and of a novel score system, GISSI-2 Index, in a cohort of survivors of acute myocardial infarction. Villella, M., A. Villella, et al. *Am Heart J* (2003).**145**(3): 475-83

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=12660671

Body mass index: a risk factor for unstable angina and myocardial infarction

in patients with angiographically confirmed coronary artery disease. Wolk, R., P. Berger, et al. *Circulation* (2003).**108**(18): 2206-11

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=14557360

Relation of thoracic aortic and aortic valve calcium to coronary artery calcium and risk assessment. Wong, N. D., M. Sciammarella, et al. *Am J Cardiol* (2003).**92**(8): 951-5

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=14556872

Interaction between soluble thrombomodulin and intercellular adhesion molecule-1 in predicting risk of coronary heart disease. Wu, K. K., N. Aleksic, et al. *Circulation* (2003).**107**(13): 1729-32

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=12668515

Valvular and thoracic aortic calcium as a marker of the extent and severity of angiographic coronary artery disease. Yamamoto, H., D. Shavelle, et al. *Am Heart J* (2003).**146**(1): 153-9

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=12851625

Diets and clinical coronary events: the truth is out there. Yancy, W. S., Jr., E. C. Westman, et al. *Circulation* (2003).**107**(1): 10-6

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=12515734

Variation in the matrix metalloproteinase-1 gene and risk of coronary heart disease. Ye, S., C. R. Gale, et al. *Eur Heart J* (2003).**24**(18): 1668-71

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=14499230

Serologic markers of persistent Chlamydia pneumonia infection and long-term prognosis after successful coronary stenting. Zairis, M. N., O. A. Papadaki, et al. *Am Heart J* (2003).**146**(6): 1082-9

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=14661003

Coronary artery calcium score combined with Framingham score for risk prediction in asymptomatic individuals. Greenland, P., L. LaBree, et al. *Jama* (2004).**291**(2): 210-5

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=14722147

Risk factors for coronary calcification in older subjects. The Rotterdam Coronary Calcification Study. Oei, H. H., R. Vliegenthart, et al. *Eur Heart J* (2004).**25**(1): 48-55

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=14683742