

**Percutaneous radial artery approach for coronary angiography.** Campeau, L. Cathet Cardiovasc Diagn (1989).**16**(1): 3-7  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=2912567](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=2912567)

**Percutaneous transradial approach for coronary angiography.** Otaki, M. Cardiology (1992).**81**(6): 330-3  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=1304413](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=1304413)

**Percutaneous transradial artery approach for coronary stent implantation.** Kiemeneij, F. and G. J. Laarman. Cathet Cardiovasc Diagn (1993).**30**(2): 173-8  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=8221875](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=8221875)

**Percutaneous transradial artery approach for coronary Palmaz-Schatz stent implantation.** Kiemeneij, F. and G. J. Laarman. Am Heart J (1994).**128**(1): 167-74  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=8017270](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=8017270)

**Coronary revascularization with the radial artery: new interest for an old conduit.** Calafiore, A. M., G. Teodori, et al. J Card Surg (1995).**10**(2): 140-6  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=7772878](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=7772878)

**Cost comparison between two modes of Palmaz Schatz coronary stent implantation: transradial bare stent technique vs. transfemoral sheath-protected stent technique.** Kiemeneij, F., J. Hofland, et al. Cathet Cardiovasc Diagn (1995).**35**(4): 301-8, discussion 309  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=7497502](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=7497502)

**Transradial artery Palmaz-Schatz coronary stent implantation: results of a single-center feasibility study.** Kiemeneij, F. and G. J. Laarman. Am Heart J (1995).**130**(1): 14-21  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=7611104](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=7611104)

**Percutaneous transradial coronary Palmaz-Schatz stent implantation, guided by intravascular ultrasound.** Kiemeneij, F., G. J. Laarman, et al. Cathet Cardiovasc Diagn (1995).**34**(2): 133-6  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=7788691](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=7788691)

**Transradial artery coronary angioplasty.** Kiemeneij, F., G. J. Laarman, et al. Am Heart J (1995).**129**(1): 1-7  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=7817902](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=7817902)

**Transradial Palmaz-Schatz coronary stenting on an outpatient basis: results of a prospective pilot study.** Kiemeneij, F., G. J. Laarman, et al. J Invasive Cardiol (1995).**7 Suppl A**: 5A-11A

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=10155117](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=10155117)

**Transradial approach for coronary angiography and angioplasty.** Lotan, C., Y. Hasin, et al. *Am J Cardiol* (1995).**76**(3): 164-7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=7611152](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=7611152)

**[Right Transradial Approach for Coronary Procedures: Preliminary Results.**

Barbeau, G. R., G. Carrier, et al. *J Invasive Cardiol* (1996).**8 Suppl D**: 19D-21D

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=10785781](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=10785781)

**Use of the radial artery for myocardial revascularization.** Manasse, E., G.

Sperti, et al. *Ann Thorac Surg* (1996).**62**(4): 1076-82; discussion 1082-3

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=8823092](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=8823092)

**New device for compression of the radial artery after diagnostic and interventional cardiac procedures.** Chatelain, P., A. Arceo, et al. *Cathet*

*Cardiovasc Diagn* (1997).**40**(3): 297-300

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=9062728](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=9062728)

**Transradial artery coronary angiography and intervention in patients with severe peripheral vascular disease.** de Belder, A. J., R. E. Smith, et al. *Clin*

*Radiol* (1997).**52**(2): 115-8

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=9043044](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=9043044)

**U.S. experience of transradial coronary stenting utilizing Palmaz-Schatz stents.** el-Shiekh, R. A., M. W. Burket, et al. *Cathet Cardiovasc Diagn*

(1997).**40**(2): 166-9

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=9047058](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=9047058)

**A randomized comparison of percutaneous transluminal coronary angioplasty by the radial, brachial and femoral approaches: the access study.**

Kiemeneij, F., G. J. Laarman, et al. *J Am Coll Cardiol* (1997).**29**(6): 1269-75

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=9137223](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=9137223)

**Outpatient coronary stent implantation.** Kiemeneij, F., G. J. Laarman, et al. *J*

*Am Coll Cardiol* (1997).**29**(2): 323-7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=9014984](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=9014984)

**The Radial Artery: An Applicable Approach to Complex Coronary**

**Angioplasty.** Lotan, C., Y. Hasin, et al. *J Invasive Cardiol* (1997).**9**(8): 518-522

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=10762952](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=10762952)

**Radial versus femoral approach for diagnostic coronary angiography in stable angina pectoris.** Ludman, P. F., N. G. Stephens, et al. *Am J Cardiol*

(1997).**79**(9): 1239-41

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=9164893](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=9164893)

**Transradial Coronary Stenting: A United States Experience.** Schneider, J. E., T. Mann, et al. *J Invasive Cardiol* (1997).**9**(9): 569-574

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=10762962](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=10762962)

**Incidence and outcome of radial artery occlusion following transradial artery coronary angioplasty.** Stella, P. R., F. Kiemeneij, et al. *Cathet Cardiovasc Diagn* (1997).**40**(2): 156-8

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=9047055](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=9047055)

**Total myocardial revascularization with arterial conduits: radial artery combined with internal thoracic arteries.** Weinschelbaum, E. E., E. D. Gabe, et al. *J Thorac Cardiovasc Surg* (1997).**114**(6): 911-6

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=9434685](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=9434685)

**Transradial coronary angiography and angioplasty in Chinese patients.** Wu, C. J., P. H. Lo, et al. *Cathet Cardiovasc Diagn* (1997).**40**(2): 159-63

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=9047056](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=9047056)

**Routine myocardial revascularization with the radial artery: a multicenter experience.** Chen, A. M., R. F. Brodman, et al. *J Card Surg* (1998).**13**(5): 318-27

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=10440646](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=10440646)

**Influence of learning curve on the success of transradial coronary angioplasty.** Cheng, T. O. *Cathet Cardiovasc Diagn* (1998).**45**(2): 215-6

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=9786405](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=9786405)

**Transradial approach for coronary procedures: initial experience and results.** Galli, M., S. Zerboni, et al. *G Ital Cardiol* (1998).**28**(7): 767-73

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=9773301](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=9773301)

**Learning curve in the use of the radial artery as vascular access in the performance of percutaneous transluminal coronary angioplasty.** Goldberg, S. L., R. Renslo, et al. *Cathet Cardiovasc Diagn* (1998).**44**(2): 147-52

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=9637436](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=9637436)

**Coronary angiography from the radial artery--experience, complications and limitations.** Hildick-Smith, D. J., M. D. Lowe, et al. *Int J Cardiol* (1998).**64**(3): 231-9

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=9672402](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=9672402)

**[Experience of coronary and great vessel angiography by transradial**

puncture]. Makino, K., R. Okamoto, et al. J Cardiol (1998).**32**(1): 9-14  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=9739512](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=9739512)

**Stenting in acute coronary syndromes: a comparison of radial versus femoral access sites.** Mann, T., G. Cubeddu, et al. J Am Coll Cardiol (1998).**32**(3): 572-6  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=9741495](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=9741495)

**New guiding catheter for transrad PTCA.** Shibata, Y., O. Doi, et al. Cathet Cardiovasc Diagn (1998).**43**(3): 344-51  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=9535380](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=9535380)

**Deep Intubation of 6 French Guiding Catheters for Transradial Coronary Interventions.** Von Sohsten, R., R. Oz, et al. J Invasive Cardiol (1998).**10**(4): 198-202  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=10973341](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=10973341)

**Severe Spasm of the Free Radial Artery Graft in a Patient Undergoing High-Risk Angioplasty Under Percutaneous Cardiopulmonary Support.** Ahmed, J. M., R. Kornowski, et al. J Invasive Cardiol (1999).**11**(12): 739-742  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=10745476](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=10745476)

**Transradial cardiac catheterization in patients with prior brachial artery cutdown.** Caputo, R. P., A. Simons, et al. Catheter Cardiovasc Interv (1999).**48**(3): 271-4  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=10525226](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=10525226)

**Feasibility of Routine Transradial Coronary Angiography: A Single Operator's Experience.** Louvard, Y., M. Krol, et al. J Invasive Cardiol (1999).**11**(9): 543-548  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=10745593](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=10745593)

**Ultrasonic assessment of vascular complications in coronary angiography and angioplasty after transradial approach.** Nagai, S., S. Abe, et al. Am J Cardiol (1999).**83**(2): 180-6  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=10073818](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=10073818)

**[Aggressive diagnostic and therapeutic approach for acute coronary syndrome].** Ochiai, M., N. Yokoyama, et al. J Cardiol (1999).**33** Suppl 1: 23-9  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=10342133](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=10342133)

**Efficacy of transradial primary stenting in patients with acute myocardial infarction.** Ochiai, M., T. Isshiki, et al. Am J Cardiol (1999).**83**(6): 966-8, A10  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=10342133](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=10342133)

[tation&list\\_uids=10190421](#)

**Influence of the ratio between radial artery inner diameter and sheath outer diameter on radial artery flow after transradial coronary intervention.** Saito, S., H. Ikei, et al. *Catheter Cardiovasc Interv* (1999).**46**(2): 173-8

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=10348538](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=10348538)

**Response of the radial artery to three vasodilatory agents.** Abe, S., T. Meguro, et al. *Catheter Cardiovasc Interv* (2000).**49**(3): 253-6

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=10700052](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=10700052)

**Transradial coronary stent placement in a patient with severe idiopathic autoimmune thrombocytopenic purpura.** Caputo, R. P., S. Abraham, et al. *J Invasive Cardiol* (2000).**12**(7): 365-8

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=10904444](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=10904444)

**Vascular complications and clinical outcome after coronary angioplasty with platelet IIb/IIIa receptor blockade. Comparison of transradial vs transfemoral arterial access.** Choussat, R., A. Black, et al. *Eur Heart J* (2000).**21**(8): 662-7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=10731404](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=10731404)

**Use of a new diagnostic catheter for transradial internal mammary artery angiography early after minimally invasive coronary bypass.** Cozzi, S., C. Antona, et al. *Catheter Cardiovasc Interv* (2000).**50**(3): 371-4

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=10878642](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=10878642)

**Coronary rotational atherectomy via transradial approach: a study using radial artery intravascular ultrasound.** Gioia, G., C. Comito, et al. *Catheter Cardiovasc Interv* (2000).**51**(2): 234-8

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=11025584](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=11025584)

**[Acute myocardial infarction in elderly patients: feasibility of transradial intervention and rapid mobilization].** Kagoshima, M. *J Cardiol* (2000).**36**(4): 251-62

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=11079230](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=11079230)

**Primary stenting for acute myocardial infarction via the transradial approach: a safe and useful alternative to the transfemoral approach.** Kim, M. H., K. S. Cha, et al. *J Invasive Cardiol* (2000).**12**(6): 292-6

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=10859712](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=10859712)

**Loops and transradial approach in coronary diagnosis and intervention.**

Louvard, Y. and T. Lefevre. *Catheter Cardiovasc Interv* (2000).**51**(2): 250-2

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=11025586](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=11025586)

**Left internal mammary artery intervention: the left radial approach with a new guide catheter.** Mann, T., G. Cubeddu, et al. J Invasive Cardiol (2000).**12**(6): 298-302

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=10859714](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=10859714)

**Transradial coronary stenting: comparison with femoral access closed with an arterial suture device.** Mann, T., P. A. Cowper, et al. Catheter Cardiovasc Interv (2000).**49**(2): 150-6

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=10642762](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=10642762)

**Transradial coronary angioplasty and stent implantation in acute myocardial infarction: initial experience.** Mathias, D. W. and L. Bigler. J Invasive Cardiol (2000).**12**(11): 547-9

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=11060565](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=11060565)

**Systematic use of transradial approach or suture of the femoral artery after angioplasty: attempt at achieving zero access site complications.** Morice, M. C., P. Dumas, et al. Catheter Cardiovasc Interv (2000).**51**(4): 417-21

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=11108672](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=11108672)

**Efficacy of a new hemostatic device, Adapty , after transradial coronary angiography and intervention.** Ochiai, M., H. Sakai, et al. J Invasive Cardiol (2000).**12**(12): 618-22

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=11103029](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=11103029)

**New long-tip guiding catheters designed for right transradial coronary intervention.** Ochiai, M., Y. Ikari, et al. Catheter Cardiovasc Interv (2000).**49**(2): 218-24

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=10642779](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=10642779)

**[Coronary subclavian steal syndrome after internal mammary artery bypass grafting. A cause of severe postoperative recurrent myocardial ischemia].**

Philippe, F., T. Folliguet, et al. Arch Mal Coeur Vaiss (2000).**93**(12): 1555-9

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=11211452](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=11211452)

**8 french transradial coronary interventions: clinical outcome and late effects on the radial artery and hand function.** Wu, S. S., R. J. Galani, et al. J Invasive Cardiol (2000).**12**(12): 605-9

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=11103026](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=11103026)

**Anatomic variations of the radial artery in patients undergoing transradial coronary intervention.** Yokoyama, N., S. Takeshita, et al. Catheter Cardiovasc Interv (2000).**49**(4): 357-62

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=11103026](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=11103026)



[tation&list\\_uids=10751755](#)

**Direct assessment of palmar circulation before transradial coronary intervention by color Doppler ultrasonography.** Yokoyama, N., S. Takeshita, et al. Am J Cardiol (2000).**86**(2): 218-21

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=10913487](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=10913487)

**The problem of arteria lusoria in right transradial coronary angiography and angioplasty.** Abhaichand, R. K., Y. Louvard, et al. Catheter Cardiovasc Interv (2001).**54**(2): 196-201

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=11590683](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=11590683)

**Entry sites for coronary angiography and therapeutic interventions: from the proximal to the distal radial artery.** Campeau, L. Can J Cardiol (2001).**17**(3): 319-25

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=11264565](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=11264565)

**Safety and efficacy of repeat transradial access for cardiac catheterization procedures.** Caputo, R. P., A. Simons, et al. Catheter Cardiovasc Interv (2001).**54**(2): 188-90

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=11590681](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=11590681)

**Nonselective left internal mammary artery angiography during right transradial coronary angiography: a simple, rapid, and safe technique.** Cha, K. S., M. H. Kim, et al. Angiology (2001).**52**(11): 773-9

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=11716330](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=11716330)

**Combined right transradial coronary angiography and selective carotid angiography: safety and feasibility in unselected patients.** Cha, K. S., M. H. Kim, et al. Catheter Cardiovasc Interv (2001).**53**(3): 380-5

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=11458419](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=11458419)

**Reduction of discomfort at sheath removal during transradial coronary procedures with the use of a hydrophilic-coated sheath.** Dery, J. P., S. Simard, et al. Catheter Cardiovasc Interv (2001).**54**(3): 289-94

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=11747151](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=11747151)

**Measurement of radial artery spasm using an automatic pullback device.** Kiemeneij, F., B. U. Vajifdar, et al. Catheter Cardiovasc Interv (2001).**54**(4): 437-41

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=11747176](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=11747176)

**Bilateral selective internal mammary artery angiography via right radial approach: clinical experience with newly designed Yumiko catheter.** Kim, M. H., K. S. Cha, et al. Catheter Cardiovasc Interv (2001).**54**(1): 19-24

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=11553943](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=11553943)

**Direct coronary stent implantation: safety, feasibility, and predictors of success of the strategy of direct coronary stent implantation.** Laarman, G., T. S. Muthusamy, et al. *Catheter Cardiovasc Interv* (2001).**52**(4): 443-8

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=11285596](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=11285596)

**Coronary angiography through the radial or the femoral approach: The CARAFE study.** Louvard, Y., T. Lefevre, et al. *Catheter Cardiovasc Interv* (2001).**52**(2): 181-7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=11170325](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=11170325)

**Limitations of successive transradial approach in the same arm: the Japanese experience.** Sakai, H., S. Ikeda, et al. *Catheter Cardiovasc Interv* (2001).**54**(2): 204-8

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=11590685](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=11590685)

**Transradial approach for renal artery stenting.** Scheinert, D., S. Braunlich, et al. *Catheter Cardiovasc Interv* (2001).**54**(4): 442-7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=11747177](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=11747177)

**Transradial renal angioplasty: initial experience.** Shuck, J., A. Khan, et al. *Catheter Cardiovasc Interv* (2001).**54**(3): 346-9

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=11747162](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=11747162)

**Midterm clinical results in myocardial revascularization using the radial artery.** Beghi, C., F. Nicolini, et al. *Chest* (2002).**122**(6): 2075-9

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=12475850](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=12475850)

**Transradial coronary brachytherapy with the Novoste Beta-Rail system.**

Bertrand, O. F., R. De Larochelliere, et al. *Catheter Cardiovasc Interv* (2002).**55**(3): 362-6

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=11870942](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=11870942)

**Transradial renal artery angioplasty and stenting.** Braunlich, S., J. Ludwig, et al. *J Invasive Cardiol* (2002).**14**(3): 147-9

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=11870270](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=11870270)

**Feasibility and safety of concomitant left internal mammary arteriography at the setting of the right transradial coronary angiography.** Cha, K. S. and M. H. Kim. *Catheter Cardiovasc Interv* (2002).**56**(2): 188-95

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=12112911](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=12112911)

**A randomized trial of 5 vs. 6 French transradial percutaneous coronary**



**interventions.** Dahm, J. B., D. Vogelgesang, et al. Catheter Cardiovasc Interv (2002).**57**(2): 172-6  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=12357515](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=12357515)

**Transradial approach for renal percutaneous transluminal angioplasty and stenting: a feasibility pilot study.** Galli, M., F. Tarantino, et al. J Invasive Cardiol (2002).**14**(7): 386-90  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=12082192](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=12082192)

**Same-day transradial outpatient stenting with a 6-hr course of glycoprotein IIb/IIIa receptor blockade: a feasibility study.** Gilchrist, I. C., M. J. Nickolaus, et al. Catheter Cardiovasc Interv (2002).**56**(1): 10-3  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=11979524](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=11979524)

**Mini-invasive strategy in acute coronary syndromes: direct coronary stenting using 5 Fr guiding catheters and transradial approach.** Hamon, M., R. Sabatier, et al. Catheter Cardiovasc Interv (2002).**55**(3): 340-3  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=11870939](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=11870939)

**Percutaneous coronary intervention in a sequential radial artery graft anastomosed to the descending aorta, left circumflex artery and obtuse marginal artery.** Kobayashi, Y., N. Al-Mubarak, et al. J Invasive Cardiol (2002).**14**(10): 642-4  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=12368523](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=12368523)

**Transradial cerebral angiography: an alternative route.** Levy, E. I., A. S. Boulos, et al. Neurosurgery (2002).**51**(2): 335-40; discussion 340-2  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=12182771](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=12182771)

**Pretreatment with alpha-adrenergic blockers for prevention of radial artery spasm.** Locker, C., R. Mohr, et al. Ann Thorac Surg (2002).**74**(4): S1368-70  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=12400819](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=12400819)

**Transradial approach for coronary angioplasty in the setting of acute myocardial infarction: a dual-center registry.** Louvard, Y., J. Ludwig, et al. Catheter Cardiovasc Interv (2002).**55**(2): 206-11  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=11835648](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=11835648)

**Feasibility and efficacy of transradial access for coronary interventions in patients with acute myocardial infarction.** Mulukutla, S. R. and H. A. Cohen. Catheter Cardiovasc Interv (2002).**57**(2): 167-71  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=12357514](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=12357514)

**A new miniature catheter with side-holes for percutaneous transradial or**

**transbrachial coronary angiography.** Ootomo, T., T. Meguro, et al. J Invasive Cardiol (2002).**14**(7): 379-84  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=12082190](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=12082190)

**Successful retrieval of transradially delivered unexpanded coronary stent from the left main coronary artery.** Patel, T. M., S. C. Shah, et al. Indian Heart J (2002).**54**(6): 715-6  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=12674189](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=12674189)

**Usefulness of hydrophilic coating on arterial sheath introducer in transradial coronary intervention.** Saito, S., S. Tanaka, et al. Catheter Cardiovasc Interv (2002).**56**(3): 328-32  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=12112884](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=12112884)

**Less invasive PTCA of a gastroepiploic artery combining the transradial approach and 5 Fr guiding catheter: a case report.** Sharma, G. L., Y. Louvard, et al. Catheter Cardiovasc Interv (2002).**56**(4): 494-7  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=12124960](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=12124960)

**Safety and feasibility of the radial approach for primary angioplasty in acute myocardial infarction during pregnancy.** Sharma, G. L., C. Loubeyre, et al. J Invasive Cardiol (2002).**14**(6): 359-62  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=12042633](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=12042633)

**Noncoronary transradial angioplasty with coronary equipment: a less invasive technique.** Sharma, G. L., Y. Louvard, et al. Catheter Cardiovasc Interv (2002).**55**(2): 197-205  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=11835647](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=11835647)

**A case of transradial carotid stenting in a patient with total occlusion of distal abdominal aorta.** Yoo, B. S., S. H. Lee, et al. Catheter Cardiovasc Interv (2002).**56**(2): 243-5  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=12112923](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=12112923)

**Extraction of the radial artery during transradial coronary angiography: an unusual complication.** Abu-Ful, A., D. Benharroch, et al. J Invasive Cardiol (2003).**15**(6): 351-2  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=12777676](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=12777676)

**Complex transradial three vessel brachytherapy in a single session.** Bertrand, O. F., R. De Larochelliere, et al. J Invasive Cardiol (2003).**15**(8): 457-9  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=12890879](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=12890879)

**Prevalence and clinical predictors of severe tortuosity of right subclavian artery in patients undergoing transradial coronary angiography.** Cha, K. S., M. H. Kim, et al. Am J Cardiol (2003).**92**(10): 1220-2

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=14609604](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=14609604)

**Ad hoc transradial coronary angioplasty strategy: experience and results in a single centre.** Galli, M., G. Di Tano, et al. Int J Cardiol (2003).**92**(2-3): 275-80

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=14659865](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=14659865)

**Coronary angiography in the fully anticoagulated patient: the transradial route is successful and safe.** Hildick-Smith, D. J., J. T. Walsh, et al. Catheter Cardiovasc Interv (2003).**58**(1): 8-10

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=12508189](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=12508189)

**Hydrophilic coating aids radial sheath withdrawal and reduces patient discomfort following transradial coronary intervention: a randomized double-blind comparison of coated and uncoated sheaths.** Kiemeneij, F., D. Fraser, et al. Catheter Cardiovasc Interv (2003).**59**(2): 161-4

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=12772232](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=12772232)

**Evaluation of a spasmolytic cocktail to prevent radial artery spasm during coronary procedures.** Kiemeneij, F., B. U. Vajifdar, et al. Catheter Cardiovasc Interv (2003).**58**(3): 281-4

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=12594687](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=12594687)

[

**Transradial management of saphenous vein bypass graft disease using rheolytic thrombectomy and coronary stenting.** Mann, T., J. A. Raza, et al. J Invasive Cardiol (2003).**15**(4): 221-3

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=12668852](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=12668852)

**Angioplasty for chronic total occlusion by using tapered-tip guidewires.** Saito, S., S. Tanaka, et al. Catheter Cardiovasc Interv (2003).**59**(3): 305-11

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=12822146](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=12822146)

**Comparative study on transradial approach vs. transfemoral approach in primary stent implantation for patients with acute myocardial infarction: results of the test for myocardial infarction by prospective unicenter randomization for access sites (TEMPURA) trial.** Saito, S., S. Tanaka, et al. Catheter Cardiovasc Interv (2003).**59**(1): 26-33

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=12720237](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=12720237)

**Novel application of the hemostatic device TOMETA KUN.** Sakatani, T., T. Kawasaki, et al. Circ J (2003).**67**(10): 895-7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=14578628](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=14578628)

**[Transradial approach to coronary angiography and angioplasty: initial experience and learning curve].** Salgado Fernandez, J., R. Calvino Santos, et al. *Rev Esp Cardiol* (2003).**56**(2): 152-9

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=12605760](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=12605760)

**Evaluation of patient-absorbed doses during coronary angiography and intervention by femoral and radial artery access.** Sandborg, M., S. G. Fransson, et al. *Eur Radiol* (2003).

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=14618362](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=14618362)

**Successful transradial coronary angioplasty and stenting using a self-expandable RADIUS stent to the anomalous left main coronary artery.**

Sunami, K., S. Saito, et al. *J Invasive Cardiol* (2003).**15**(1): 46-8

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=12499530](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=12499530)

**Effects of radial stretch on target lesion revascularization after percutaneous coronary intervention: an intravascular ultrasound study.** Syeda, B., P.

Wexberg, et al. *Can J Cardiol* (2003).**19**(6): 691-7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=12772020](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=12772020)

**Safety, feasibility and efficacy of transradial primary angioplasty in patients with acute myocardial infarction.** Valsecchi, O., G. Musumeci, et al. *Ital Heart J* (2003).**4**(5): 329-34

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=12848090](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=12848090)

**Intima-media thickening of the radial artery after transradial intervention. An intravascular ultrasound study.** Wakeyama, T., H. Ogawa, et al. *J Am Coll Cardiol* (2003).**41**(7): 1109-14

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=12679209](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=12679209)

**The safety and feasibility of transradial cutting balloon angioplasty: immediate results, benefits, and limitations.** Yang, C. H., G. B. Guo, et al. *Jpn Heart J* (2003).**44**(1): 51-60

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=12622437](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=12622437)

**Effect of the PercuSurge GuardWire device on the integrity of microvasculature and clinical outcomes during primary transradial coronary intervention in acute myocardial infarction.** Yip, H. K., C. J. Wu, et al. *Am J Cardiol* (2003).**92**(11): 1331-5

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=14636915](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=14636915)

**Procedural outcomes of repeated transradial coronary procedure.** Yoo, B. S.,

S. H. Lee, et al. Catheter Cardiovasc Interv (2003).**58**(3): 301-4  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=12594691](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=12594691)

**Comparison of the radial and the femoral approaches in percutaneous coronary intervention for acute myocardial infarction.** Ziakas, A., P. Klinke, et al. Am J Cardiol (2003).**91**(5): 598-600  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=12615270](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=12615270)

**Transradial coronary angiography in patients with contraindications to the femoral approach: An analysis of 500 cases.** Hildick-Smith, D. J., J. T. Walsh, et al. Catheter Cardiovasc Interv (2004).**61**(1): 60-6  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=14696161](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=14696161)